```
=> s l13
SAMPLE SEARCH INITIATED 13:19:10 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED -      255 TO ITERATE

100.0% PROCESSED      255 ITERATIONS                                 4 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS:  ONLINE  **COMPLETE**
                        BATCH   **COMPLETE**
PROJECTED ITERATIONS:         4142 TO     6058
PROJECTED ANSWERS:               4 TO      200

L14           4 SEA SSS SAM L13

=> s l13 sss full
FULL SEARCH INITIATED 13:19:20 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED -     5221 TO ITERATE

100.0% PROCESSED     5221 ITERATIONS                               44 ANSWERS
SEARCH TIME: 00.00.01

L15          44 SEA SSS FUL L13

=> file caplus
COST IN U.S. DOLLARS                              SINCE FILE      TOTAL
                                                     ENTRY    SESSION
FULL ESTIMATED COST                                 178.82     575.92

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)        SINCE FILE      TOTAL
                                                     ENTRY    SESSION
CA SUBSCRIBER PRICE                                   0.00      -4.00

FILE 'CAPLUS' ENTERED AT 13:19:27 ON 07 JAN 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)
```



```
FILE COVERS 1907 - 7 Jan 2008  VOL 148 ISS 2
FILE LAST UPDATED: 6 Jan 2008  (20080106/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply.
They are available for your review at:

http://www.cas.org/infopolicy.html

=> s l15
```

L16 1 L15

=> d l16 bib abs hitstr

L16 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2008 ACS on STN
AN 2005:570814 CAPLUS
DN 143:97397
TI Preparation of tricyclic 1-[(3-indol-3-yl)carbonyl]piperazine derivatives as cannabinoid CB1 receptor agonists
IN Adam-Worrall, Julia
PA Akzo Nobel N. V., Neth.
SO PCT Int. Appl., 34 pp.
CODEN: PIXXD2
DT Patent
LA English
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2005058327	A1	20050630	WO 2004-EP53421	20041213
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
	RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	AU 2004298782	A1	20050630	AU 2004-298782	20041213
	CA 2549147	A1	20050630	CA 2004-2549147	20041213
	EP 1696930	A1	20060906	EP 2004-804784	20041213
	EP 1696930	B1	20070411		
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK, IS				
	CN 1893953	A	20070110	CN 2004-80037747	20041213
	BR 2004017626	A	20070327	BR 2004-17626	20041213
	AT 359078	T	20070515	AT 2004-804784	20041213
	JP 2007526242	T	20070913	JP 2006-544422	20041213
	ES 2284076	T3	20071101	ES 2004-4804784	20041213
	US 2007088025	A1	20070419	US 2006-583013	20060615
	MX 2006PA06928	A	20060904	MX 2006-PA6928	20060616
PRAI	EP 2003-104768	A	20031217		
	US 2003-530528P	P	20031217		
	WO 2004-EP53421	W	20041213		

OS CASREACT 143:97397; MARPAT 143:97397
GI



I



II

AB Tricyclic 1-[(indol-3-yl)carbonyl]piperazine derivs. [X = CH2, O, S; R = 1-3 substituents H, C1-4 alkyl, C1-4 alkyloxy, halo; R1 = C5-8 cycloalkyl; R2 = H, C1-4 alkyl; R3-R6, R13-R16 = H, (un)substituted C1-4 alkyl; ,with (C1-4)alkyloxy, OH or halo; R6R7 may form 4-7 membered saturated heterocyclic ring, optionally containing further heteroatom O and S; R7 = H, (un)substituted C1-4 alkyl, C3-5 cycloalkyl] or pharmaceutically acceptable salt thereof are described as cannabinoid CB1 receptor agonists. The invention also relates to pharmaceutical compns. comprising I and to their use in the treatment of pain, such as peri-operative pain, chronic pain neuropathic pain, cancer pain, and pain and spasticity associated with multiple sclerosis. Thus, title compound II (as its HCl salt) was prepared in 9 steps from N-tert-butoxycarbonyl-D-cyclohexylglycine, 2-bromophenol, Et pyruvate, and N-ethylpiperazine. II and related compds. I showed pEC50 values between 7.1 and 8.4 at the human cannbinoid CB1 receptor expressed in hamster CHO cells.

IT 856703-13-4P 856703-14-5P 856703-39-4P
RL: PAC (Pharmacological activity); PUR (Purification or recovery); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of tricyclic (indolylcarbonyl)piperazine derivs. as cannabinoid CB1 receptor agonists)

RN 856703-13-4 CAPLUS

CN Piperazine, 1-[(4-cyclopentyl-5,6-dihydro-4H-pyrrolo[3,2,1-ij]quinolin-1-yl)carbonyl]-4-ethyl-, monohydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 856703-14-5 CAPLUS

CN Piperazine, 1-[(4-cyclopentyl-5,6-dihydro-4H-pyrrolo[3,2,1-ij]quinolin-1-

yl)carbonyl]-4-methyl-, monohydrochloride, (+)- (9CI) (CA INDEX NAME)

Rotation (+).



● HCl

RN 856703-39-4 CAPLUS
CN Piperazine, 1-[(4-cyclopentyl-5,6-dihydro-4H-pyrrolo[3,2,1-ij]quinolin-1-yl)carbonyl]-4-methyl-, monohydrochloride, (-)- (9CI) (CA INDEX NAME)

Rotation (-).



● HCl

IT 856703-38-3P
RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
(preparation of tricyclic (indolylcarbonyl)piperazine derivs. as cannabinoid CB1 receptor agonists)
RN 856703-38-3 CAPLUS
CN Piperazine, 1-[[(3R)-3-cyclohexyl-2,3-dihydropyrrolo[1,2,3-de]-1,4-benzoxazin-6-yl]carbonyl]-3,5-dimethyl-, monohydrochloride, (3R,5S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).



● HCl

IT 856703-03-2P 856703-04-3P 856703-05-4P
856703-06-5P 856703-07-6P 856703-08-7P
856703-09-8P 856703-10-1P 856703-11-2P
856703-12-3P 856703-15-6P 856703-16-7P
856703-17-8P 856703-18-9P 856703-37-2P
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of tricyclic (indolylcarbonyl)piperazine derivs. as cannabinoid CB1 receptor agonists)

RN 856703-03-2 CAPLUS

CN Piperazine, 1-[[(3R)-3-cyclohexyl-2,3-dihydropyrrolo[1,2,3-de]-1,4-benzoxazin-6-yl]carbonyl]-4-ethyl-, monohydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).



● HCl

RN 856703-04-3 CAPLUS

CN 2H-Pyrido[1,2-a]pyrazine, 2-[[(3R)-3-cyclohexyl-2,3-dihydropyrrolo[1,2,3-de]-1,4-benzoxazin-6-yl]carbonyl]octahydro-, monohydrochloride, (9aS)-(9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).



● HCl

RN 856703-05-4 CAPLUS
CN Piperazine, 1-[[(3S)-3-cyclohexyl-2,3-dihydropyrrolo[1,2,3-de]-1,4-benzoxazin-6-yl]carbonyl]-4-ethyl-, monohydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (+).



● HCl

RN 856703-06-5 CAPLUS
CN Piperazine, 4-[[(3R)-3-cyclohexyl-2,3-dihydropyrrolo[1,2,3-de]-1,4-benzoxazin-6-yl]carbonyl]-1,2-dimethyl-, monohydrochloride, (2S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



● HCl

RN 856703-07-6 CAPLUS
CN Piperazine, 1-[[(3R)-3-cyclohexyl-2,3-dihydropyrrolo[1,2,3-de]-1,4-benzoxazin-6-yl]carbonyl]-4-methyl-, monohydrochloride (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).



● HCl

RN 856703-08-7 CAPLUS
CN Piperazine, 1-[[(3R)-3-cyclohexyl-2,3-dihydropyrrolo[1,2,3-de]-1,4-benzoxazin-6-yl]carbonyl]-2,6-dimethyl-, monohydrochloride, (2R,6S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).



● HCl

RN 856703-09-8 CAPLUS
CN Piperazine, 4-[[(3R)-3-cyclohexyl-2,3-dihydropyrrolo[1,2,3-de]-1,4-benzoxazin-6-yl]carbonyl]-1,2,6-trimethyl-, monohydrochloride, (2R,6S)-(9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).



● HCl

RN 856703-10-1 CAPLUS
CN Piperazine, 4-[[(3R)-3-cyclohexyl-2,3-dihydropyrrolo[1,2,3-de]-1,4-benzoxazin-6-yl]carbonyl]-1-ethyl-2,6-dimethyl-, monohydrochloride, (2R,6S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).



● HCl

RN 856703-11-2 CAPLUS
CN 1-Piperazineethanol, 4-[[(3R)-3-cyclohexyl-2,3-dihydropyrrolo[1,2,3-de]-1,4-benzoxazin-6-yl]carbonyl]-2,6-dimethyl-, monohydrochloride, (2R,6S)-(9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).



● HCl

RN 856703-12-3 CAPLUS
CN Piperazine, 4-[[(3R)-3-cyclohexyl-2,3-dihydropyrrolo[1,2,3-de]-1,4-benzoxazin-6-yl]carbonyl]-1-(2-methoxyethyl)-2,6-dimethyl-, monohydrochloride, (2R,6S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).



● HCl

RN 856703-15-6 CAPLUS
CN Piperazine, 1-[(4-cyclohexyl-5,6-dihydro-4H-pyrrolo[3,2,1-ij]quinolin-1-yl)carbonyl]-4-ethyl-, monohydrochloride, (+)- (9CI) (CA INDEX NAME)

Rotation (+).



● HCl

RN 856703-16-7 CAPLUS
CN Piperazine, 1-[(4-cyclohexyl-5,6-dihydro-4H-pyrrolo[3,2,1-ij]quinolin-1-yl)carbonyl]-4-methyl-, monohydrochloride, (+)- (9CI) (CA INDEX NAME)

Rotation (+).



● HCl

RN 856703-17-8 CAPLUS
CN Piperazine, 1-[(4-cyclohexyl-5,6-dihydro-4H-pyrrolo[3,2,1-ij]quinolin-1-yl)carbonyl]-4-ethyl-, monohydrochloride, (-)- (9CI) (CA INDEX NAME)

Rotation (-).



● HCl

RN 856703-18-9 CAPLUS
CN Piperazine, 1-[(4-cyclohexyl-5,6-dihydro-4H-pyrrolo[3,2,1-ij]quinolin-1-yl)carbonyl]-4-methyl-, monohydrochloride, (-)- (9CI) (CA INDEX NAME)

Rotation (-).



● HCl

RN 856703-37-2 CAPLUS
CN Piperazine, 1-[[(3R)-3-cyclohexyl-2,3-dihydropyrrolo[1,2,3-de]-1,4-benzoxazin-6-yl]carbonyl]-3-methyl-, monohydrochloride, (3S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry. Rotation (-).



● HCl

IT 856703-28-1P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation of tricyclic (indolylcarbonyl)piperazine derivs. as cannabinoid CB1 receptor agonists)
RN 856703-28-1 CAPLUS
CN Piperazine, 1-[[(3R)-3-cyclohexyl-2,3-dihydropyrrolo[1,2,3-de]-1,4-benzoxazin-6-yl]carbonyl]-2,6-dimethyl-4-(phenylmethyl)-, monohydrochloride, (2R,6S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



● HCl

RE.CNT 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> file caold

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	5.93	581.85

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	-0.80	-4.80

FILE 'CAOLD' ENTERED AT 13:20:01 ON 07 JAN 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

FILE COVERS 1907-1966
FILE LAST UPDATED: 01 May 1997 (19970501/UP)

This file contains CAS Registry Numbers for easy and accurate substance identification. Title keywords, authors, patent assignees, and patent information, e.g., patent numbers, are now searchable from 1907-1966. TIFF images of CA abstracts printed between 1907-1966 are available in the PAGE display formats.

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file supports REG1stRY for direct browsing and searching of all substance data from the REGISTRY file. Enter HELP FIRST for more information.

=> s l15
L17 0 L15

=> file chemcats

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION

FULL ESTIMATED COST 0.46 582.31

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) SINCE FILE ENTRY TOTAL SESSION

CA SUBSCRIBER PRICE 0.00 -4.80

FILE 'CHEMCATS' ENTERED AT 13:20:09 ON 07 JAN 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

FILE LAST UPDATED 22 DECEMBER 2007 (20071222/UP)

For details on recent updates in CHEMCATS, enter NEWS FILE at an arrow prompt. For the list of suppliers currently in the file, enter HELP SPA, HELP SPB, HELP SPC, HELP SPDH, HELP SPIN, HELP SPOP, and HELP SPQZ. For the list of current catalogs, enter HELP CTA, HELP CTB, HELP CTC, HELP CTDH, HELP CTIN, HELP CTOP, and HELP CTQZ.

This database is provided on an "as is" basis. Please consult the suppliers for current information regarding pricing, regional availability, available quantities, purities, etc. THERE ARE NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED. ACS is not liable for any loss of profit, goodwill or any other damages arising out of the use of this database.

CHEMCATS now contains more than 17 million records. See HELP CONTENT and NEWS FILE for details.

=> s l7
SUBSTANCE QUERIES NOT VALID IN THIS FILE
The logic expression entered contains L#s or saved query names which correspond to structures built by the STRUCTURE command or to screen sets. These must be searched in a substance file such as the REGISTRY file. In some files you may use a Registry Number answer set from a structure search as a search term or profile in some bibliographic file containing Registry Numbers, e.g. the CA file. For an explanation, enter "HELP CROSSOVER" at an arrow prompt (=>).

=> s l15
L18 8 L15

=> d l18 1-8 ide

L18 ANSWER 1 OF 8 CHEMCATS COPYRIGHT 2008 ACS on STN
Accession No. (AN): 2039153126 CHEMCATS
Catalog Name (CO): ChemDiv Discovery Chemistry Collection Public Database
Publication Date (PD): 2 Oct 2007
Order Number (ON): E762-0959
Chemical Name (CN): Chemical name not yet assigned
CAS Registry No. (RN): 894190-26-2
Supplementary Term (ST): CHEMICAL LIBRARY
Structure :



L18 ANSWER 2 OF 8 CHEMCATS COPYRIGHT 2008 ACS on STN
Accession No. (AN): 2039153125 CHEMCATS
Catalog Name (CO): ChemDiv Discovery Chemistry Collection Public Database
Publication Date (PD): 2 Oct 2007
Order Number (ON): E762-0951
Chemical Name (CN): Chemical name not yet assigned
CAS Registry No. (RN): 894190-22-8
Supplementary Term (ST): CHEMICAL LIBRARY
Structure :



L18 ANSWER 3 OF 8 CHEMCATS COPYRIGHT 2008 ACS on STN
Accession No. (AN): 2039153121 CHEMCATS
Catalog Name (CO): ChemDiv Discovery Chemistry Collection Public Database
Publication Date (PD): 2 Oct 2007
Order Number (ON): E762-0934
Chemical Name (CN): Chemical name not yet assigned
CAS Registry No. (RN): 894190-07-9
Supplementary Term (ST): CHEMICAL LIBRARY
Structure :



L18 ANSWER 4 OF 8 CHEMCATS COPYRIGHT 2008 ACS on STN
Accession No. (AN): 2039153119 CHEMCATS
Catalog Name (CO): ChemDiv Discovery Chemistry Collection Public Database
Publication Date (PD): 2 Oct 2007
Order Number (ON): E762-0925
Chemical Name (CN): Chemical name not yet assigned
CAS Registry No. (RN): 894190-00-2
Supplementary Term (ST): CHEMICAL LIBRARY
Structure :



L18 ANSWER 5 OF 8 CHEMCATS COPYRIGHT 2008 ACS on STN
Accession No. (AN): 2029550156 CHEMCATS
Catalog Name (CO): Aurora Screening Library
Publication Date (PD): 6 Sep 2007
Order Number (ON): kcd-494756
Chemical Name (CN): Chemical name not yet assigned
CAS Registry No. (RN): 894190-26-2
Supplementary Term (ST): CHEMICAL LIBRARY
Structure :



L18 ANSWER 6 OF 8 CHEMCATS COPYRIGHT 2008 ACS on STN
Accession No. (AN): 2029550154 CHEMCATS
Catalog Name (CO): Aurora Screening Library
Publication Date (PD): 6 Sep 2007
Order Number (ON): kcd-494755
Chemical Name (CN): Chemical name not yet assigned
CAS Registry No. (RN): 894190-22-8
Supplementary Term (ST): CHEMICAL LIBRARY
Structure :



L18 ANSWER 7 OF 8 CHEMCATS COPYRIGHT 2008 ACS on STN
Accession No. (AN): 2029550146 CHEMCATS
Catalog Name (CO): Aurora Screening Library
Publication Date (PD): 6 Sep 2007
Order Number (ON): kcd-494751
Chemical Name (CN): Chemical name not yet assigned
CAS Registry No. (RN): 894190-07-9
Supplementary Term (ST): CHEMICAL LIBRARY
Structure :



L18 ANSWER 8 OF 8 CHEMCATS COPYRIGHT 2008 ACS on STN
Accession No. (AN): 2029550142 CHEMCATS
Catalog Name (CO): Aurora Screening Library
Publication Date (PD): 6 Sep 2007
Order Number (ON): kcd-494749
Chemical Name (CN): Chemical name not yet assigned
CAS Registry No. (RN): 894190-00-2
Supplementary Term (ST): CHEMICAL LIBRARY
Structure :



=> log h

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	17.34	599.65

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	0.00	-4.80

SESSION WILL BE HELD FOR 120 MINUTES
STN INTERNATIONAL SESSION SUSPENDED AT 13:20:57 ON 07 JAN 2008